This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number: WO 00/62204				
G06F 17/30	A1	(43) International Publication Date: 19 October 2000 (19.10.00)				
(21) International Application Number: PCT/US (22) International Filing Date: 13 April 2000 (CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,				
 (30) Priority Data: 60/129,104 14 April 1999 (14.04.99) (71) Applicant: CONJOIN, INC. [US/US]; Suite 355, 20 M Burlington, MA 01803 (US). (72) Inventors: D'ARBELOFF, Nicholas; 345 Cross Strmont, MA 02178 (US). DIMARE, Joseph; 197 Hi #12, Andover, MA 01810 (US). HEATH, Barbara lage View Road, Westford, MA 10886 (US). (74) Agents: NUGENT, Elizabeth, E. et al.; Choate, Hall & Exchange Place, 53 State Street, Boston, MA 0216 	reet, Beigh Stream; 28 Vi	- - - -				

(54) Title: ONLINE CONTENT LIFECYCLE MANAGEMENT BASED ON USAGE STATISTICS, USER-SUPPLIED VALUE RATINGS AND EXPIRATION DATES



(57) Abstract

Content Lifecycle Management (CLM) is a method for keeping content within an intranet (or internet) up-to-date and relevant for users of the website by archiving low-value, unused, inactive, and obsolete content from the site based on a combination of ratings threshold, usage threshold, and expiration date. Archiving content removes general access to that content, but retains it in the site for searches specific to the archive. CLM uses these threshold values as a method for providing automated feedback and notification to the publisher and/or author of aging or poorly performing content.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	Tj	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	·UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

ONLINE CONTENT LIFECYCLE MANAGEMENT BASED ON USAGE STATISTICS, USER-SUPPLIED VALUE RATINGS AND EXPIRATION DATES

5

Field of the Invention

The invention pertains to a system for maintaining and accessing a diverse collection of information to identify and keep information that is current and useful.

10

15

Background of the Invention

As information databases become more prevalent and more complete, a number of content management issues must be confronted. In particular, valuable data often become "lost in the haystack" of lower-quality content. In addition, systems rarely remove stale content or provide meaningful feedback to authors or publishers of the value of their content. It is an object of the present invention to address these issues by providing methods for winnowing databases to preserve high-quality content while archiving or deleting low-quality or stale content.

Summary of the Invention

20

25

In one aspect, the invention pertains to a system for maintaining currency and value for a collection of information. When a piece of information (a content item) is added to the collection, metadata is added to a database specifying the location of the information, and threshold values for usage and utility of the information. When the database item is accessed to access the information, the user is allowed to specify a value rating for the content item, and an access log is updated. The frequency of access of the content item and its value can thus be monitored to determine if either has fallen below the associated threshold value. If either usage or value rating falls below its threshold, the system performs some action, such as warning the author of the information that it is not being used or is received low ratings, marking the item for archiving, archiving the item, or deleting the item from the system. Content items may further have associated expiration dates which are given at the time that the content item is added to the collection. If a content item is approaching its expiration

30

date, the system may notify the author or perform another action such as archiving the item. The system can be used for monitoring diverse collections of information, including such items as URLs and web pages, files stored on a fileserver, whole directories and subdirectories, and nondigital data such as books.

5

10

15

20

25

Brief Description of the Drawing

The invention is described with reference to the several figures of the drawing, in which,

Figure 1 shows a sample screen containing content and a ratings entry area; and ·

Figure 2 shows the content matrix.

Detailed Description

Websites today are faced with daunting content management issues including the proliferation of old and stale content and poor capabilities of providing feedback and notification to the author. Content Lifecycle Management (CLM) is designed to eliminate this proliferation by keeping content that is displayed on an intranet site relevant and up-to-date. This goal is accomplished by tagging each item of content recorded in the content management database with an expiration date and threshold values. Threshold values are minimally acceptable levels in order for content to remain current and available. CLM uses at least 2 thresholds: one for the rating (value of the content) and one for the usage (how often each item is viewed.)

When content is published to the intranet, it is tagged with content thresholds for ratings and usage which the author or publisher feels represent minimum values. When content falls below either value based on a given timed period (for example, weekly basis), the CLM will notify the author of this fact, for example by e-mail, from within the CLM application, or both. The tabulated values which are required for this are collected from users who view and rate the content on the site. Figure 1 is a screen shot illustrating how feedback is collected. Each time a user views a document (or item of content) it is registered in the usage table. When a user rates the content using the ratings engine 10 at the top of the window, it is also recorded

30

associating the content ID with the user ID, date, and rating. Rating of content may be either optional or required for the user.

The maximum and minimum values of the two thresholds form the CLM matrix, shown in Figure 2. Based on the rating and usage values, each content item can receive one of four classifications: (1) active or good content 20, which means that this item of content is receiving high usage and that users find it of high value; (2) needs promotion 22, which means that users value the content but usage is low (usually because users can not easily find the content); (3) needs updating 24, which means that users access the file frequently but that it is not of significant use or value; and (4) archive content 26, which is the default action for content that is not being viewed often and is of low value.

The ratings and usage of content in combination with its expiration date serve as an effective indicator for archiving content.

The inventive system for maintaining currency of the information dovetails well with systems for targeting information to particular users or groups of users. For example, the methods described herein may be used with the methods described in U.S. Provisional Application No. 60/129,106, filed April 13, 1999, and U.S. Patent Application "Group Targeted Content Personalization," (attorney docket 2001774-0001), filed on even date herewith.

20

5

10

15

Example

In one embodiment of the invention, Content Lifecycle Management is based on a set of database tables that are part of an overall intranet database. The following data are cataloged in the database tables:

25

- Content information may include ID, name, file name, content type, publish and expiration dates, author/publisher, approval and archive status, and ratings/usage thresholds for each content item
- Ratings may include content ID, user ID, date, rating, and module in which the content was rated

30

 Usage - may include content ID, user ID, date, and module in which the content was viewed

Author/Publisher Info – may include e-mail address for notification by e-mail

The following data are stored on durable media such as a hard disk:

- Content, which may include documents, files, data, executables, and catalogue entries or other references to nondigital content.
 - Archiving Daemon (code)
 - Low-Usage Daemon (code)
 - Low-Rating Daemon (code)
 - CLM Matrix Daemon (code)

Content Publishing

5

10

15

20

25

30

Content is published to the intranet using the publishing functionality within the system. During the publishing process, the file may be uploaded and stored on the server and all file-specific and publisher-entered information as well as the association between the file and the database entry is saved in the database tables. Data specific content such as web links (URLs) are stored in the database and the information is associated with the database entry. The user-entered information may include items such as the classification of the document using the topic and subtopic parameters, access classification (who has access to view the document), target classification (who would most benefit from this content), expiration date and the rating and usage thresholds for the content. (Access and target classification are discussed more fully in U.S. Provisional Application No. 60/129,106, filed April 13, 1999, and U.S. Patent Application "Group Targeted Content Personalization," (attorney docket 2001774-0001), filed on even date herewith).

Archiving Daemon

The Archiving Daemon comprises executable code which is run as a scheduled task on a periodic basis (set by the administrator). In one preferred embodiment, it is set to run on a nightly basis. Each time the archiving daemon is run, it makes two comparisons. First, it compares the expiration date of each record in the content library with the current date. If the current date matches the expiration

date, the record is archived and an e-mail is sent to the author notifying the author that the record has been archived. At this point, the content that has been archived is no longer available throughout the site unless a search on archived content is executed.

If the current date represents a period of a week before the expiration date (or any other suitable time period), the archiving daemon sends an alert e-mail to notify the author that the content is aging and will be retired at the end of the week unless it is updated.

Low-Usage & Low-Rating Daemons

These daemons are used to notify the author if content the author has published falls below the rating and usage thresholds set when the content was published. Like the Archiving Daemon, they may be set to run on a periodic basis (e.g., nightly). These Daemons may further directly archive content which falls below one of the thresholds (e.g., if the author/publisher does not respond to an invitation to improve the content).

CFM Matrix Daemon

The Content Lifecycle Management Daemon compares the averaged ratings and the usage values of each record in the content management database against the administration-set values for both the rating and usage. The administration set values are the *index values* and allow the matrix to be configured to a particular group of users. If the rating and usage values fall above the index values for both ratings and usage, no notification is sent. If either the usage or the ratings values fall below their respective index value, a notification is sent.

25

5

10

15

20

Other embodiments of the invention will be apparent to those skilled in the art from a consideration of the specification or practice of the invention disclosed herein. It is intended that the specification and examples be considered as exemplary only, with the true scope and spirit of the invention being indicated by the following claims.

30

What is claimed is:

1	1. A computer-implemented method of maintaining currency and value of a
2	collection of information, comprising:
3	adding an item corresponding to a single piece of information to a database of
4	metadata pertaining to the collection of information, where the added item includes
5	an identifier indicating a location for the piece of information;
6	a minimum value level for the piece of information; and
7	a minimum usage level for the piece of information;
8	accessing the added item in the database of metadata, where accessing
9	includes
10	using the identifier to access the piece of information;
11	updating a record of the actual usage level for the piece of information
12	and
13	allowing updating of a record of the actual value rating for the piece o
14	information; and
15	performing an action in response to a condition in which
16	the actual value rating is below the minimum value level; or
17	the actual usage level is below the minimum usage level.
18	
19	2. The method of claim 1, wherein the item further includes an expiration date
20	for the piece of information, and wherein an action is performed in response to a
21	condition in which the actual date is within a selected time period from or is equal to
22	the expiration date.
23	
24	3. The method of claim 1 or 2, wherein the action is selected from the group
25	consisting of:
26	removing the item from the database of metadata;
27	marking the item for archiving;
28	placing the item in an archive database; and
29	notifying a user that the condition exists.
30	4. The method of claim 1, wherein the identifier is selected from the group
31	consisting of uniform resource locators, file location paths, directories, subdirectories
32	and catalogue entries for nondigital information.

1/2





Figure 1



VSDOCID: <WO___0062204A1_I_>

INTERNATIONAL SEARCH REPORT

Int. Jonal Application No PCT/US 00/09767

			FC1/US 00/09/6/	
A CLASSII IPC 7	FICATION OF SUBJECT MATTER G06F17/30			
	International Patent Classification (IPC) or to both national classification	ation and IPC		
	SEARCHED			
Minimum do IPC 7	cumentation searched (classification system followed by classification $606F$	on symbols)		
	ion searched other than minimum documentation to the extent that s			
	ata base consulted during the international search (name of data base		earch terms used)	
WPI Dat	ta, EPO-Internal, PAJ, INSPEC, COMPE	NDEX, IBM-TDB		
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim N	No.
A	EP 0 515 073 A (HEWLETT PACKARD 0 25 November 1992 (1992-11-25) abstract column 2, line 23 - line 48 column 5, line 24 -column 9, line figures 2-4		1,3,4	
A	GB 2 327 787 A (KNOWLEDGE HORIZON LTD) 3 February 1999 (1999-02-03) abstract page 5, line 21 -page 6, line 18 page 7, line 30 -page 8, line 9	IS PTY	1,2,4	
Eurl)	ner documents are listed in the continuation of box C.	Patent family me	ombers are listed in annex.	
Ш	tegories of cited documents:			
"A" docume consid "E" earlier of filling d "L" docume which citation	ned after the International filing date of in conflict with the application but the principle or theory underlying the relevance; the claimed invention do novel or cannot be considered to stap when the document is taken alone relevance; the claimed invention do involve an inventive step when the adwith one or more other such document do under the country and the country are the stap when the adwith one or more other such document.			
other n	ent published prior to the international filing date but		ation being obvious to a person skilled	
	actual completion of the international search .		international search report	
2:	3 August 2000	30/08/200	00	
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer		
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo rd, Fax: (+31-70) 340-3016	Polzer, /	4	

INTERNATIONAL SEARCH REPORT

information on patent family members

trit tional Application No PCT/US 00/09767

Patent document cited in search report	t	Publication date		Patent family member(s)	Publication date
EP 0515073	A	25-11-1992	US DE DE JP	5313631 A 69224678 D 69224678 T 5158770 A	17-05-1994 16-04-1998 02-07-1998 25-06-1993
GB 2327787	A	03-02-1999	AU	6905498 A	03-12-1998